

ECBT2.E358633 - Connectors for Use in Data, Signal, Control and Power Applications - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Connectors for Use in Data, Signal, Control and Power Applications - Component

SHENZHEN MEDLON HARDWARE PRODUCTS CO LTD

E358633

Room 401, 1 Area, Building B
The center of Shenzhen Famous brand industry product
Baoyuan Road, Bao An district
Shenzhen, Guangdong 518102 China

Marking: Company name and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): JYP(#1) (#1): followed by -M, followed by 04, 08, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, 68, 72 or 76, followed by 01 thru 16, followed by B, D, S or G, followed by -RT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#10) (#10): followed by -F, followed by 04, 08, 12, 16, 20, 24, 28 or 32, followed by 01 thru 14, followed by B, D, S or G, followed by -RT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#11) (#11): followed by -F, followed by 00, followed by 01 thru 14, followed by B, D, S or G, followed by -RT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#12) (#12): followed by -F, followed by 04, 08, 12, 16, 20, 24, 28 or 32, followed by 00, followed by 0, followed by -RT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#2) (#2): followed by -M, followed by 00, followed by 01 thru 16, followed by B, D, S or G, followed by -RT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#3) (#3): followed by -M, followed by 04, 08, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, 68, 72 or 76, followed by 00, followed by 0, followed by -RT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#4) (#4): followed by -F, followed by 04, 08, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, 68, 72 or 76, followed by 01 thru 16, followed by B, D, S or G, followed by -VT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#5) (#5): followed by -F, followed by 00, followed by 01 thru 16, followed by B, D, S or G, followed by -VT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#6) (#6): followed by -F, followed by 04, 08, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, 68, 72 or 76, followed by 00, followed by 0, followed by -VT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#7) (#7): followed by -M, followed by 04, 08, 12, 16, 20, 24, 28 or 32, followed by 01 thru 14, followed by B, D, S or G, followed by -VT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#8) (#8): followed by -M, followed by 00, followed by 01 thru 14, followed by B, D, S or G, followed by -VT, followed by 00 thru 99, followed by R or 0.

Model(s): JYP(#9) (#9): followed by -M, followed by 04, 08, 12, 16, 20, 24, 28 or 32, followed by 00, followed by 0, followed by -VT, followed by 00 thru 99, followed by R or 0.

Component Connector, Model(s): JYP , followed by ?F or -M, followed by 00, followed by 02 thru 09, followed by D or S, followed by -VT, followed by 01 thru 99, followed by R or 0

Component Connector, Model(s): JYP, followed by -F , followed by 00, followed by 02 or 03, followed by D , followed by ?H, followed by -VT, followed by 01 thru 99, followed by R or 0

Component Connector, Model(s): JYP, followed by -F, followed by 00 , followed by 02 thru 04, followed by S , followed by -H, followed by -VT, followed by 01 thru 99, followed by R or 0

Connector, Model(s): JDC-10NT-#, JDC-10NZ-#, JDC-10T-#, JDC-10Z-#, JDC-4RT-#, JDC-4RZ-#, JDC-4YT-#, JDC-4YZ-#, JDC-7T-#, JDC-7Z-#, JYF-XXXXRT-508-XXX, JYF-XXXXVT-XXX, JYP-F0003D-VL01R, JYP-F1605B-VT03R, JYP-F2406B-VT01R, JYP-M0003D-RT01R, JYP-M1605B-RT01R, JYP-M2406B-RT01R

Connectors, Model(s): JDC-12T1, followed by -000 thru -999., JDC-12Z1, followed by -000 thru -999., JDC-20T, followed by -000 thru -999., JDC-20Z, followed by -000 thru -999., JDC-29T, followed by -000 thru -999., JDC-29Z, followed by -000 thru -999., JDC-4T, followed by -000 thru -999., JDC-4Z, followed by -000 thru -999.

- followed by -00 thru -99
* - followed by -001 thru -999

Last Updated on 2022-06-06



The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."